

CB MORTELVELT TR

AIR ENTRAINER FOR CONCRETE AND MORTAR

APPLICATIONS

CB Mortelvet TR is an air entrainer - plasticiser for mortar and concrete. It is a product based on synthetic resins that is added in small doses during the preparation of mortar or concrete in order to improve processing and plasticization. The very small air bubbles serve as ball bearings in the processing of mortar. As a result, all sand and sulphur, no matter how sharp, can be used.

PROPERTIES

- Better processability and frost resistance
- No segregation and dilution
- Reduction of surface tension of the water
- Under normal use the chemical reactions during the hardening of the mortar and concrete are not affected

CHARACTERISTICS

Colour	: Transparent
Form	: Liquid
Volume weight	: 1,00 kg/dm ³
Solubility	: Water

PROCESSING

CB Mortelvet TR is added to the mixing water in proportion to:

40 cc per 50 kg cement for mortar

20 cc per 50 kg cement for concrete

SHELF LIFE AND TRANSPORT

2 years after manufacture in original, closed packaging.

Frost-free transport and storage. Protect the product and its packaging from direct sunlight. Avoid storage at temperatures >30°C.

PACKAGING

Cans of 25 and 5 liters

CONSIDERATION - EPILOGUE

The information in this technical sheet is based on extensive research and experience. However, the information is provided without any guarantee - directly implied - as to its correctness. The conditions or methods of handling, storage, use of the product are beyond our control and may also be beyond our knowledge. For these and other reasons, we accept no liability for damage or nuisance of any kind, caused by the use of the product in question. The indicated characteristics and properties are average values and analyses obtained at 20 °C, deviations are tolerated. The rewrite of this sheet replaces all previous sheets.